

Patron-Driven Expedited Cataloging Enhancement to WebPAC Pro

Prepared by Steven Bernstein

Project Description

This enhancement to the Innovative Millennium ILS provides users with a direct method for obtaining newly-arrived library materials that are listed in the system as “being processed”. It does this by appending a link to a record’s in-processing notes, which reads “1 copy being processed for <library name>. [Click Here to Expedite Processing](#)”. When clicked, the link produced the following pop up form:

Rush Cataloging Request Form (CCSU ONLY) [?] [X]

Fill out the form below to expedite the processing of this item. Cataloging and Metadata Services will rush catalog it and you will be notified via e-mail when it is available. The item will be held at the circulation desk under your name for 10 days.

Author	O'Shea, Rick
Title	Bouncing Back / by Rick O'Shea
Publisher	New York : Off the Wall Press, 2011.
Your Name	<input type="text"/>
Your 8-digit BlueChip ID No.	<input type="text"/>
Your E-mail Address	<input type="text"/>
Confirm Your E-mail Address	<input type="text"/>
Your Status	<input checked="" type="radio"/> Faculty/Staff <input type="radio"/> Student
Are you human?	Winter is cold; summer is: <input type="text"/>

After you have clicked 'Submit' you can click your browser's back button to return to this record.

The Author, Title, Publisher, ISBN (not visible) and Bibliographic Record Number (not visible) fields are automatically filled in with the metadata from the record. All the user has to do is provide their name, ID, e-mail address and status. When the user clicks “Submit”, the form sends an e-mail with the subject line “Rush Cataloging Request Form Submission” to the cataloging department. The body of the e-mail contains all of the information the form culled from the record as well as the user’s information.

Implementing this enhancement can allow cataloging departments to better identify priority materials in their queues by providing prompt cataloging of those materials that the user wants most. While the project was developed with a single ILS in mind, the idea behind it can easily be implemented on most any other integrated library system. Two versions of the enhancement are covered: one for standalone libraries and one for libraries that share a union catalog. The source-codes for both versions of the enhancement are provided, as are instructions for implementing the enhancement on any Millennium installation.

Documentation for Libraries that Share a Union Catalog

1. In the Web Options tab of the Administration module, modify "Record Displays > TABLEPARAM_BIB_ORDER" to include the following:

```
id="bibOrder"  
// Assigns a unique ID to the table that contains the order notes for the  
record so that the information contained therein can be leveraged.
```

2. Place the "huggins-email-form-script-v2.2.3.php" file (available at <http://www.jamesshuggins.com/h/hefs/huggins-email-form-script.htm>) in a location on your library's webserver. Do not place the file on the Millennium server as it does not support PHP.

3. In the Web Master tab of the Administration module, modify the toplogo.html file to include the following (Note that many of the names and ID's of functions, variables, elements, etc. as well as certain text strings throughout the script are localized to the Connecticut State University System implementation. These can be modified for your local implementation.):

```
<script type="text/javascript">  
function start() {  
// Function for calling those functions that must be called at the time of the page  
load.  
  
    rushCcsu();  
    rushEcsu();  
    rushScsu();  
    rushWcsu();  
    fillIn();  
}  
window.onload=start;  
  
function rushCcsu() {  
// Function to append a link to CCSU in-processing notes, which--when clicked--  
calls the function to display the form.  
    try {  
        for (var i = 0; i < document.getElementById('bibOrder').rows.length;  
            i++) {  
            // For every row of order notes notes...  
            var rush =  
                document.getElementById('bibOrder').rows[i].cells[0];  
            // ...declare a variable called "rush" to hold the cells in  
            that row.  
            if (rush.innerHTML.search('CCSU') == -1 ||  
                rush.innerHTML.search('processed') == -1) {  
                // If the HTML contained in any instance of "rush" does *NOT*  
                contain the text string "CCSU" or "processed" then do nothing.  
            }  
            else {  
                // If, however, the HTML contained in any instance of "rush"  
                *DOES* contain those text strings, then...  
                rush.innerHTML += ' <a  
                href="javascript:showhide(\'rushformccsu\', \'inline\');">  
                Click Here to Expedite Processing</a>';  
                // ...append to that instance of "rush" a link that will  
                call the showhide() function (see below) and which will  
                have the display text "Click Here to Expedite Processing".  
            }  
        }  
    }  
}
```

```

    }
    }
}
catch(err) {
}
}

function rushEcsu() {
// Function to append a link to ECSU in-processing notes, which--when clicked--
calls the function to display the form.
    try {
        for (var i = 0; i < document.getElementById('bibOrder').rows.length;
            i++) {
            // For every row of order notes notes...
            var rush =
            document.getElementById('bibOrder').rows[i].cells[0];
            // ...declare a variable called "rush" to hold the cells in
            that row.
            if (rush.innerHTML.search('ECSU') == -1 ||
                rush.innerHTML.search('processed') == -1) {
                // If the HTML contained in any instance of "rush" does *NOT*
                contain the text string "ECSU" or "processed" then do nothing.
            }
            else {
                // If, however, the HTML contained in any instance of "rush"
                *DOES* contain those text strings, then...
                rush.innerHTML += ' <a
                href="javascript:showhide(\'rushformecs\', \'inline\');">
                Click Here to Expedite Processing</a>';
                // ...append to that instance of "rush" a link that will
                call the showhide() function (see below) and which will
                have the display text "Click Here to Expedite Processing".
            }
        }
    }
    catch(err) {
    }
}

function rushScsu() {
// Function to append a link to SCSU in-processing notes, which--when clicked--
calls the function to display the form.
    try {
        for (var i = 0; i < document.getElementById('bibOrder').rows.length;
            i++) {
            // For every row of order notes notes...
            var rush =
            document.getElementById('bibOrder').rows[i].cells[0];
            // ...declare a variable called "rush" to hold the cells in
            that row.
            if (rush.innerHTML.search('SCSU') == -1 ||
                rush.innerHTML.search('processed') == -1) {
                // If the HTML contained in any instance of "rush" does *NOT*
                contain the text string "SCSU" or "processed" then do nothing.
            }
            else {

```

```

// If, however, the HTML contained in any instance of "rush"
*DOES* contain those text strings, then...
    rush.innerHTML += ' <a
href="javascript:showhide(\'rushformscsu\', \'inline\');">
Click Here to Expedite Processing</a>';
// ...append to that instance of "rush" a link that will
call the showhide() function (see below) and which will
have the display text "Click Here to Expedite Processing".
    }
    }
}
catch(err) {
}
}

function rushWcsu() {
// Function to append a link to WCSU in-processing notes, which--when clicked--
calls the function to display the form.
    try {
        for (var i = 0; i < document.getElementById('bibOrder').rows.length;
i++) {
            // For every row of order notes notes...
            var rush =
document.getElementById('bibOrder').rows[i].cells[0];
            // ...declare a variable called "rush" to hold the cells in
that row.
            if (rush.innerHTML.search('WCSU') == -1 ||
rush.innerHTML.search('processed') == -1) {
                // If the HTML contained in any instance of "rush" does *NOT*
contain the text string "WCSU" or "processed" then do nothing.
            }
            else if (rush.innerHTML.search("WCSU H ARCHIVES THESES") != -1
|| rush.innerHTML.search("WCSU H MUSIC SCORES") != -1) {
                // If the HTML contained in any instance of "rush" contains the
text string "WCSU H ARCHIVES THESES" or "WCSU H MUSIC SCORES"
then do nothing.
            }
            else {
                // If, however, the HTML contained in any instance of "rush"
*DOES* contain the text strings "WCSU" or "processed", then...
                rush.innerHTML += ' <a
href="javascript:showhide(\'rushformWcsu\', \'inline\');">
Click Here to Expedite Processing</a>';
                // ...append to that instance of "rush" a link that will
call the showhide() function (see below) and which will
have the display text "Click Here to Expedite Processing".
            }
        }
    }
    catch(err) {
    }
}

function showhide(divid, state){
// Function to show or hide the form.
    document.getElementById(divid).style.display=state
}

```

```

function fillIn() {
// Function to cull the bibliographic information from the record for inclusion
in the form fields.
    var author = "";
    var title = "";
    var publisher = "";
    var isbn = "";
    // Declare empty eponymous variables to hold the author, title, imprint,
    and ISBN of the record.
    var bibId =
document.getElementById('recordnum').innerHTML.replace("http://www.yourlibr
ary.org:80/record=", "").replace("~S16", "") + 'a';
    // Declare an eponymous variable to hold the bibID of the record, taken
    from the record's persistent link.
    try {
        var tr = document.getElementsByTagName('TR');
        for(i = 0; i < tr.length; i++) {
            // For every row in the record...
            var x=tr[i].getElementsByTagName('TD');
            // ...declare a variable called "x" to hold the cells in that row.
            if (x.length == 2 && x[0].innerHTML == "Author") {
                // If the row has 2 cells and the first cell contains the text
                string "Author"...
                author = x[1].innerHTML.replace(/(<([>]+>)/ig, "");
                // ...then strip of any markup from the text string contained
                in the second cell of that row and assign it to the "author"
                variable.
            }
            if (x.length == 2 && x[0].innerHTML == "Title") {
                // If the row has 2 cells and the first cell contains the text
                string "Title"...
                title = x[1].innerHTML.replace(/(<([>]+>)/ig, "");
                // ...then strip of any markup from the text string contained
                in the second cell of that row and assign it to the "title"
                variable.
            }
            if (x.length == 2 && x[0].innerHTML == "Publisher") {
                // If the row has 2 cells and the first cell contains the text
                string "Publisher"...
                publisher = x[1].innerHTML.replace(/(<([>]+>)/ig, "");
                // ...then strip of any markup from the text string contained
                in the second cell of that row and assign it to the "publisher"
                variable.
            }
            if(x.length == 2 && x[0].innerHTML == "ISBN") {
                // If the row has 2 cells and the first cell contains the text
                string "ISBN"...
                isbn = x[1].innerHTML.replace(/(<([>]+>)/ig, "");
                // ...then strip of any markup from the text string contained
                in the second cell of that row and assign it to the "isbn"
                variable.
            }
        }
    }
    catch (e) {}
    document.getElementById('authorCcsu').value = author;
}

```

```

document.getElementById('booktitleCcsu').value = title;
document.getElementById('publisherCcsu').value = publisher;
document.getElementById('bibIdCcsu').value = bibId;
document.getElementById('isbnCcsu').value = isbn;
document.getElementById('authorEcsu').value = author;
document.getElementById('booktitleEcsu').value = title;
document.getElementById('publisherEcsu').value = publisher;
document.getElementById('bibIdEcsu').value = bibId;
document.getElementById('isbnEcsu').value = isbn;
document.getElementById('authorScsu').value = author;
document.getElementById('booktitleScsu').value = title;
document.getElementById('publisherScsu').value = publisher;
document.getElementById('bibIdScsu').value = bibId;
document.getElementById('isbnScsu').value = isbn;
document.getElementById('authorWcsu').value = author;
document.getElementById('booktitleWcsu').value = title;
document.getElementById('publisherWcsu').value = publisher;
document.getElementById('bibIdWcsu').value = bibId;
document.getElementById('isbnWcsu').value = isbn;
// Assign the text strings held by the "author", "title", "publisher",
// "isbn", and "bibId" variables as values for the corresponding fields in
// each of the popup forms (see below).
}

```

```
</script>
```

```

<div id="about" style="display:none; z-index:1; position:absolute; top:200px;
border:2px solid #00437F; color:#000000; background-color:#FFFFFF; width:350px;
left:50%; margin-left:-175px; padding-bottom:5px;">
// The container for the "About" popup. It is not displayed by default; it
// appears when the user clicks on the link to display it.
<div style="font-weight:bold; color:#00437F; background-color:#d7e3ff;
height:20px; padding:5px;">
// The title bar for the "About" popup.
<span style="float:left;">About the Rush Cataloging Request
Form</span>
// The title of the "About" popup.
<span style="float:right; height:20px;"><a
href="javascript:showhide('about', 'none')" title="Close" style="font-
size:8pt; line-height:1.66em; text-decoration:none; color:#00437F;
background-color:inherit; border:1px solid #00437F;
padding:1px;">&nbsp;&nbsp;X&nbsp;&nbsp;</a></span>
// A close button to hide the "About" popup.
</div>
<div style="padding:5px; text-align:justify;">Version 1.0 beta<br/><br/>The
Rush Cataloging Request Form was developed at Central Connecticut State
University by Steven Bernstein and uses <a title="Huggins' Email Form
Script" target="_blank" href="http://www.JamesSHuggins.com/huggins-email-
form-script">Huggins' Email Form Script</a>.<br/></div>

```

```

    // The contents of the "About" popup. This contains the credits for the
    script and must remain unchanged.
</div>

<div id="rushformccsu" style="display:none; position:absolute; top:65px;
border:2px solid #00437F; color:#000000; background-color:#FFFFFF; width:500px;
left:50%; margin-left:-250px; padding-bottom:5px;">
// The container for the CCSU form. It is not displayed by default; it appears
when the user clicks on the link to display the form.
  <div style="font-weight:bold; color:#00437F; background-color:#d7e3ff;
height:20px; padding:5px;">
    // The title bar for the CCSU form.
    <span style="float:left;">Rush Cataloging Request Form (<span
style="color:red;">CCSU ONLY</span></span>
    // The title of the CCSU form, indicating that this form is for use by
library users affiliated with Central Connecticut State University and
not any other CSU campus.
    <span style="float:right; height:20px;">
      <a href="javascript:showhide('about', 'inline')" title="About the
Rush Cataloging Request Form" style="display:inline-block; font-
size:8pt; line-height:12pt; text-decoration:none; color:#00437F;
background-color:inherit; border:1px solid #00437F;
padding:1px;">&nbsp;?&nbsp;</a>&nbsp;
      // An "About" button for toggling the display of information
about the project, including its version number and a link to the
project page of the PHP script that was used for the form.
      <a href="javascript:showhide('rushformccsu', 'none')"
title="Close" style="display:inline-block; font-size:8pt; line-
height:12pt; text-decoration:none; color:#00437F; background-
color:inherit; border:1px solid #00437F;
padding:1px;">&nbsp;X&nbsp;</a>
      // A close button to hide the CCSU form if the user does not wish
to submit the request.
    </span>
  </div>
</div>
<div style="padding:5px; text-align:justify;">Fill out the form below to
expedite the processing of this item. Cataloging and Metadata Services will
rush catalog it and you will be notified via e-mail when it is available.
The item will be held at the circulation desk under your name for 10
days.</div>
// The instructions for the CCSU form.
<form action="http://www.yourlibrary.org/huggins-email-form-script-
v2.2.3.php" method="post" id="formCcsu" style="display:inline;">
// The form.
  <input name="FormEchoUser" type="hidden" value="yes"/>
  // A parameter for the form instructing it to send a confirmation e-
mail to the submitter.
  <input name="FormEmailFieldList" type="hidden" value="email_address,
confirm_email_address"/>
  // A parameter for the form indicating which field(s) contain the
submitter's e-mail address.
  <input name="FormFieldNameLabelPlusList" type="hidden" value=
    "labelline, Item to be cataloged...,
    record, Record, Y, 0, 0 |
    author, Author, N, 0, 0 |
    title, Title, N, 0, 0 |

```

```

publisher, Publisher, N, 0, 0 |
isbn, ISBN, N, 0, 0 |
blankline,
labelline, Person for whom the cataloging is to be done...,
name, Name, Y, 0, 0 |
id, Bluechip ID, Y, 8, 8 |
email_address, Email Address, Y, 0, 60 |
confirm_email_address, Confirm Email Address, Y, 0, 60 |
test78, Are you human?, Y, 0, 10 |
status, Status, Y, 0, 0 |
blankline,
labelline, Technical details about form submission...,
ip, IP Address, N, 0, 0 |
browser, Browser Information, N, 0, 0 |"/>
// A parameter for the form which specifies the names of all the fields
in the form, the label that should be used for each field in the
resulting e-mail message, whether the field is required, and its
minimum and maximum length.
<input name="FormFieldNameEditList" type="hidden" value="test78, equal,
hot, not, ~"/>
// A parameter for the form indicating the required answers for various
fields in the form.
<input name="FormNameFieldList" type="hidden" value="name"/>
// A parameter for the form indicating which field(s) contain the name
of the submitter.
<input name="FormNextURL" type="hidden"
value="http://www.yourlibrary.org/landingpage.htm"/>
// A parameter for the form indicating the URL of the landing page that
will be displayed upon successfully submitting the form.
<input name="Msg1AddrList" type="hidden" value="John Smith, johnsmith,
yourlibrary.org, Jane Doe, janedoe, yourlibrary.org "/>
// A parameter for the form indicating the e-mail address(es) of the
individual(s) who will receive the completed form.
<input name="Msg1FieldNameExcludeList" type="hidden" value=
"confirm_email_address, test78"/>
// A parameter for the form indicating which fields are to be excluded
from the resulting e-mail message.
<input name="Msg1Subject" type="hidden" value="Rush Cataloging Request
Form Submission"/>
// A parameter for the form indicating the subject line of the
resulting e-mail message.
<input name="Msg1TextBottom" type="hidden" value="Please complete
cataloging within one business day. Thank you."/>
// A parameter for the form indicating the text that is to appear in
the resulting e-mail message below the form data.
<input name="Msg1TextTop" type="hidden" value="A rush cataloging
request has been submitted for the following item:"/>
// A parameter for the form indicating the text that is to appear in
the resulting e-mail message above the form data.
<input name="MsgEchoFieldNameExcludeList" type="hidden" value="record,
confirm_email_address, test78"/>
// A parameter for the form indicating which fields are to be excluded
from the confirmation e-mail sent to the submitter.
<input name="MsgEchoFromAddr" type="hidden" value="Jane Doe, janedoe,
yourlibrary.org"/>
// A parameter for the form indicating the "From" address for the
confirmation e-mail sent to the submitter.

```



```

<input name="MsgEchoSubject" type="hidden" value="Rush Cataloging
Request Form Confirmation"/>
// A parameter for the form indicating the subject line of the
confirmation e-mail sent to the submitter.
<input name="MsgEchoTextBottom" type="hidden" value="Thank you for
submitting your rush cataloging request. Cataloging and Metadata
Services will rush catalog the item you have requested and you will be
notified via e-mail when it is available. The item will be held at the
circulation desk under your name for 10 days. Do not reply to this e-
mail."/>
// A parameter for the form indicating the text that is to appear in
the confirmation e-mail message below the form data.
<input name="MsgEchoTextTop" type="hidden" value="You have submitted a
rush cataloging request for the following item:"/>
// A parameter for the form indicating the text that is to appear in
the confirmation e-mail message above the form data.
<table style="margin-left:5px; margin-right:5px;">
// A table to layout the form.
  <tr>
    <td colspan="3"><hr style="width:100%; height:2px;
    color:#00437F; border-style:none;"/></td>
  </tr>
  <tr style="display:none;">
    // The form field containing the record number of the item being
    rush requested. Not displayed.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
    weight:bold; font-style:italic; width:240px; height:30px; text-
    align:right; padding-right:10px;"><label for="bibIdCcsu">BibID
    </label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
    type="text" id="bibIdCcsu" name="record" style="width:100%;
    border:none; padding:0px;" readonly="readonly"/></div></td>
  </tr>
  <tr>
    // The form field containing the author of the item being rush
    requested. Not displayed.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
    weight:bold; font-style:italic; width:240px; height:30px; text-
    align:right; padding-right:10px;"><label
    for="authorCcsu">Author</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
    type="text" id="authorCcsu" name="author" style="width:100%;
    border:none; padding:0px;" readonly="readonly"/></div></td>
  </tr>
  <tr>
    // The form field containing the title of the item being rush
    requested.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
    weight:bold; font-style:italic; width:240px; height:30px; text-
    align:right; padding-right:10px;"><label
    for="booktitleCcsu">Title</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
    type="text" id="booktitleCcsu" name="title" style="width:100%;
    border:none; padding:0px;" readonly="readonly"/></div></td>
  </tr>
  <tr>

```

```

// The form field containing the imprint of the item being rush
requested.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label
for="publisherCcsu">Publisher</label></td>
    <td colspan="2"><div style="margin-right:5px; "><input
type="text" id="publisherCcsu" name="publisher"
style="width:100%; border:none; padding:0px;"
readonly="readonly"/></div></td>
</tr>
<tr style="display:none;">
// The form field containing the isbn of the item being rush
requested. Not displayed.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="isbnCcsu">ISBN
</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="isbnCcsu" name="isbn" style="width:100%;
border:none; padding:0px; readonly="readonly"/></div></td>
</tr>
<tr>
// The form field into which the user inputs his or her name.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="nameCcsu">Your
Name</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="nameCcsu" name="name" style="width:100%;
padding:0px;"/></div></td>
</tr>
<tr>
// The form field into which the user inputs his or her
identification number.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="idCcsu">Your 8-
digit BlueChip ID No.</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="idCcsu" name="id" style="width:100%;
padding:0px;"/></div></td>
</tr>
<tr>
// The form field into which the user inputs his or her e-mail
address.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label
for="emailaddrCcsu">Your E-mail Address</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="emailaddrCcsu" name="email_address"
style="width:100%; padding:0px;"/></div></td>
</tr>
<tr>
// The form field into which the user confirms his or her e-mail
address.

```

```

        <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label
for="confirmemailaddrCcsu">Confirm Your E-mail
Address</label></td>
        <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="confirmemailaddrCcsu"
name="confirm_email_address" style="width:100%;
padding:0px;"/></div></td>
</tr>

<tr>
// The form field in which the user indicates his or her status.
        <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="statusCcsu">Your
Status</label></td>
        <td style="font-size:10pt; width:120px;"><input type="radio"
value="fac/staff" checked="checked" id="facstaffCcsu
name="status"/><label for="facstaffCcsu">Faculty/Staff</label>
</td>
        <td style="font-size:10pt; width:120px;"><input type="radio"
value="student" id="studentCcsu" name="status"/><label
for="studentCcsu">Student</label></td>
</tr>
<tr>
// A CAPTCHA field for weeding out spam.
        <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="humanCcsu">Are
you human?</label></td>
        <td colspan="2"><span style="float:right;">Winter is cold;
summer is: <input type="text" id="humanCcsu" name="test78"
style="display:inline" size="1"/></span></td>
</tr>
<tr>
        <td colspan="3"><hr style="width:100%; height:2px; background-
color:#00437F; color:#00437F; border-style:none;"/></td>
</tr>
<tr>
// The submit button for the form.
        <td colspan="2" style="color:red; font-size:10pt;">After you
have clicked 'Submit' you can click your browser's back button
to return to this record.</td>
        <td colspan="1" style="text-align:right;"><button type="submit"
style="display:inline-block;">Submit</button></td>
</tr>
</table>
</form>
</div>

<div id="rushformecsu" style="display:none; position:absolute; top:65px;
border:2px solid #00437F; color:#000000; background-color:#FFFFFF; width:500px;
left:50%; margin-left:-250px; padding-bottom:5px;">
// The container for the ECSU form. It is not displayed by default; it appears
when the user clicks on the link to display the form.

```

```

<div style="font-weight:bold; color:#00437F; background-color:#d7e3ff;
height:20px; padding:5px;">
// The title bar for the ECSU form.
  <span style="float:left;">Rush Cataloging Request Form (<span
style="color:red;">ECSU ONLY</span></span>
// The title of the ECSU form, indicating that this form is for use by
library users affiliated with Eastern Connecticut State University and
not any other CSU campus.
  <span style="float:right; height:20px;">
    <a href="javascript:showhide('about', 'inline')" title="About the
Rush Cataloging Request Form" style="display:inline-block; font-
size:8pt; line-height:12pt; text-decoration:none; color:#00437F;
background-color:inherit; border:1px solid #00437F;
padding:1px;">&nbsp;?&nbsp;</a>&nbsp;
// An "About" button for toggling the display of information
about the project, including its version number and a link to the
project page of the PHP script that was used for the form.
    <a href="javascript:showhide('rushformecs', 'none')"
title="Close" style="display:inline-block; font-size:8pt; line-
height:12pt; text-decoration:none; color:#00437F; background-
color:inherit; border:1px solid #00437F;
padding:1px;">&nbsp;X&nbsp;</a>
// A close button to hide the ECSU form if the user does not wish
to submit the request.
  </span>
</div>
<div style="padding:5px; text-align:justify;">Fill out the form below to
expedite the processing of this item. The Cataloging Department will rush
catalog it and you will be notified via e-mail when it is available. The
item will be held at the circulation desk under your name for 10
days.</div>
// The instructions for the CCSU form.
<form action="http://www.yourlibrary.org/huggins-email-form-script-
v2.2.3.php" method="post" id="formEcsu" style="display:inline;">
// The form.
  <input name="FormEchoUser" type="hidden" value="yes"/>
// A parameter for the form instructing it to send a confirmation e-
mail to the submitter.
  <input name="FormEmailFieldList" type="hidden" value="email_address,
confirm_email_address"/>
// A parameter for the form indicating which field(s) contain the
submitter's e-mail address.
  <input name="FormFieldNameLabelPlusList" type="hidden" value=
    "labelline, Item to be cataloged...,
    record, Record, Y, 0, 0 |
    author, Author, N, 0, 0 |
    title, Title, N, 0, 0 |
    publisher, Publisher, N, 0, 0 |
    isbn, ISBN, N, 0, 0 |
    blankline,
    labelline, Person for whom the cataloging is to be done...,
    name, Name, Y, 0, 0 |
    id, University ID, Y, 8, 8 |
    email_address, Email Address, Y, 0, 60 |
    confirm_email_address, Confirm Email Address, Y, 0, 60 |
    test78, Are you human?, Y, 0, 10 |
    status, Status, Y, 0, 0 |

```

```

        blankline,
        labelline, Technical details about form submission...,
        ip, IP Address, N, 0, 0 |
        browser, Browser Information, N, 0, 0 |"/>
// A parameter for the form which specifies the names of all the fields
in the form, the label that should be used for each field in the
resulting e-mail message, whether the field is required, and its
minimum and maximum length.
<input name="FormFieldNameEditList" type="hidden" value="test78, equal,
hot, not, ~"/>
// A parameter for the form indicating the required answers for various
fields in the form.
<input name="FormNameFieldList" type="hidden" value="name"/>
// A parameter for the form indicating which field(s) contain the name
of the submitter.
<input name="FormNextURL" type="hidden"
value="http://www.yourlibrary.org/landingpage.htm"/>
// A parameter for the form indicating the URL of the landing page that
will be displayed upon successfully submitting the form.
<input name="Msg1AddrList" type="hidden" value="John Smith, johnsmith,
yourlibrary.org, Jane Doe, janedoe, yourlibrary.org "/>
// A parameter for the form indicating the e-mail address(es) of the
individual(s) who will receive the completed form.
<input name="Msg1FieldNameExcludeList" type="hidden" value=
"confirm_email_address, test78"/>
// A parameter for the form indicating which fields are to be excluded
from the resulting e-mail message.
<input name="Msg1Subject" type="hidden" value="Rush Cataloging Request
Form Submission"/>
// A parameter for the form indicating the subject line of the
resulting e-mail message.
<input name="Msg1TextBottom" type="hidden" value="Please complete
cataloging within five business days. Thank you."/>
// A parameter for the form indicating the text that is to appear in
the resulting e-mail message below the form data.
<input name="Msg1TextTop" type="hidden" value="A rush cataloging
request has been submitted for the following item:"/>
// A parameter for the form indicating the text that is to appear in
the resulting e-mail message above the form data.
<input name="MsgEchoFieldNameExcludeList" type="hidden" value="record,
confirm_email_address, test78"/>
// A parameter for the form indicating which fields are to be excluded
from the confirmation e-mail sent to the submitter.
<input name="MsgEchoFromAddr" type="hidden" value="Jane Doe, janedoe,
yourlibrary.org"/>
// A parameter for the form indicating the "From" address for the
confirmation e-mail sent to the submitter.
<input name="MsgEchoSubject" type="hidden" value="Rush Cataloging
Request Form Confirmation"/>
// A parameter for the form indicating the subject line of the
confirmation e-mail sent to the submitter.
<input name="MsgEchoTextBottom" type="hidden" value="Thank you for
submitting your rush cataloging request. The Cataloging Department
will rush catalog the item you have requested and you will be notified
via e-mail when it is available. The item will be held at the
circulation desk under your name for 10 days."/>

```

```

// A parameter for the form indicating the text that is to appear in
the confirmation e-mail message below the form data.

// A parameter for the form indicating the text that is to appear in
the confirmation e-mail message above the form data.
<table style="margin-left:5px; margin-right:5px;">
// A table to layout the form.
  <tr>
    <td colspan="3"><hr style="width:100%; height:2px;
    color:#00437F; border-style:none;"/></td>
  </tr>
  <tr style="display:none;">
    // The form field containing the record number of the item being
    rush requested. Not displayed.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
    weight:bold; font-style:italic; width:240px; height:30px; text-
    align:right; padding-right:10px;"><label for="bibIdEcsu">BibID
    </label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
    type="text" id="bibIdEcsu" name="record" style="width:100%;
    border:none; padding:0px;" readonly="readonly"/></div></td>
  </tr>
  <tr>
    // The form field containing the author of the item being rush
    requested. Not displayed.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
    weight:bold; font-style:italic; width:240px; height:30px; text-
    align:right; padding-right:10px;"><label
    for="authorEcsu">Author</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
    type="text" id="authorEcsu" name="author" style="width:100%;
    border:none; padding:0px;" readonly="readonly"/></div></td>
  </tr>
  <tr>
    // The form field containing the title of the item being rush
    requested.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
    weight:bold; font-style:italic; width:240px; height:30px; text-
    align:right; padding-right:10px;"><label
    for="booktitleEcsu">Title</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
    type="text" id="booktitleEcsu" name="title" style="width:100%;
    border:none; padding:0px;" readonly="readonly"/></div></td>
  </tr>
  <tr>
    // The form field containing the imprint of the item being rush
    requested.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
    weight:bold; font-style:italic; width:240px; height:30px; text-
    align:right; padding-right:10px;"><label
    for="publisherEcsu">Publisher</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
    type="text" id="publisherEcsu" name="publisher"
    style="width:100%; border:none; padding:0px;"
    readonly="readonly"/></div></td>
  </tr>

```

```

<tr style="display:none;">
// The form field containing the isbn of the item being rush
requested. Not displayed.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="isbnEcsu">ISBN
</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="isbnEcsu" name="isbn" style="width:100%;
border:none; padding:0px; readonly="readonly"/></div></td>
</tr>
<tr>
// The form field into which the user inputs his or her name.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="nameEcsu">Your
Name</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="nameEcsu" name="name" style="width:100%;
padding:0px;" /></div></td>
</tr>
<tr>
// The form field into which the user inputs his or her
identification number.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="idEcsu">Your
University ID No.</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="idEcsu" name="id" style="width:100%;
padding:0px;" /></div></td>
</tr>
<tr>
// The form field into which the user inputs his or her e-mail
address.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label
for="emailaddrEcsu">Your E-mail Address</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="emailaddrEcsu" name="email_address"
style="width:100%; padding:0px;" /></div></td>
</tr>
<tr>
// The form field into which the user confirms his or her e-mail
address.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label
for="confirmemailaddrEcsu">Confirm Your E-mail
Address</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="confirmemailaddrEcsu"
name="confirm_email_address" style="width:100%;
padding:0px;" /></div></td>
</tr>

```

```

<tr>
// The form field in which the user indicates his or her status.
  <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="statusEcsu">Your
Status</label></td>
  <td style="font-size:10pt; width:120px;"><input type="radio"
value="fac/staff" checked="checked" id="facstaffEcsu
name="status"/><label for="facstaffEcsu">Faculty/Staff</label>
</td>
  <td style="font-size:10pt; width:120px;"><input type="radio"
value="student" id="studentEcsu" name="status"/><label
for="studentEcsu">Student</label></td>
</tr>
<tr>
// A CAPTCHA field for weeding out spam.
  <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="humanEcsu">Are
you human?</label></td>
  <td colspan="2"><span style="float:right;">Winter is cold;
summer is: <input type="text" id="humanEcsu" name="test78"
style="display:inline" size="1"/></span></td>
</tr>
<tr>
  <td colspan="3"><hr style="width:100%; height:2px; background-
color:#00437F; color:#00437F; border-style:none;"></td>
</tr>
<tr>
// The submit button for the form.
  <td colspan="2" style="color:red; font-size:10pt;">After you
have clicked 'Submit' you can click your browser's back button
to return to this record.</td>
  <td colspan="1" style="text-align:right;"><button type="submit"
style="display:inline-block;">Submit</button></td>
</tr>
</table>
</form>
</div>

```

```

<div id="rushformscsu" style="display:none; position:absolute; top:65px;
border:2px solid #00437F; color:#000000; background-color:#FFFFFF; width:500px;
left:50%; margin-left:-250px; padding-bottom:5px;">
// The container for the SCSU form. It is not displayed by default; it appears
when the user clicks on the link to display the form.
  <div style="font-weight:bold; color:#00437F; background-color:#d7e3ff;
height:20px; padding:5px;">
// The title bar for the SCSU form.
  <span style="float:left;">Rush Cataloging Request Form (<span
style="color:red;">SCSU ONLY</span></span></span>
// The title of the SCSU form, indicating that this for is for use by
library users affiliated with Southern Connecticut State University and
not any other CSU campus.
  <span style="float:right; height:20px;">
  <a href="javascript:showhide('about', 'inline')" title="About the
Rush Cataloging Request Form" style="display:inline-block; font-
size:8pt; line-height:12pt; text-decoration:none; color:#00437F;

```



```

background-color:inherit; border:1px solid #00437F;
padding:1px; ">&nbsp;?&nbsp;</a>&nbsp;
// An "About" button for toggling the display of information
about the project, including its version number and a link to the
project page of the PHP script that was used for the form.
<a href="javascript:showhide('rushformscsu', 'none')"
title="Close" style="display:inline-block; font-size:8pt; line-
height:12pt; text-decoration:none; color:#00437F; background-
color:inherit; border:1px solid #00437F; background-
padding:1px; ">&nbsp;X&nbsp;</a>
// A close button to hide the SCSU form if the user does not wish
to submit the request.
</span>
</div>
<div style="padding:5px; text-align:justify;">Fill out the form below to
expedite the processing of this item. The Cataloging Department will rush
catalog it and you will be notified via e-mail when it is available. The
item will be held at the circulation desk under your name for two
weeks.</div>
// The instructions for the SCSU form.
<form action="http://www.yourlibrary.org/huggins-email-form-script-
v2.2.3.php" method="post" id="formScsu" style="display:inline;">
// The form.
<input name="FormEchoUser" type="hidden" value="yes"/>
// A parameter for the form instructing it to send a confirmation e-
mail to the submitter.
<input name="FormEmailFieldList" type="hidden" value="email_address,
confirm_email_address"/>
// A parameter for the form indicating which field(s) contain the
submitter's e-mail address.
<input name="FormFieldNameLabelPlusList" type="hidden" value=
"labelline, Item to be cataloged...,
record, Record, Y, 0, 0 |
author, Author, N, 0, 0 |
title, Title, N, 0, 0 |
publisher, Publisher, N, 0, 0 |
isbn, ISBN, N, 0, 0 |
blankline,
labelline, Person for whom the cataloging is to be done...,
name, Name, Y, 0, 0 |
id, Hootloot ID, Y, 8, 8 |
email_address, Email Address, Y, 0, 60 |
confirm_email_address, Confirm Email Address, Y, 0, 60 |
test78, Are you human?, Y, 0, 10 |
status, Status, Y, 0, 0 |
blankline,
labelline, Technical details about form submission...,
ip, IP Address, N, 0, 0 |
browser, Browser Information, N, 0, 0 |"/>
// A parameter for the form which specifies the names of all the fields
in the form, the label that should be used for each field in the
resulting e-mail message, whether the field is required, and its
minimum and maximum length.
<input name="FormFieldNameEditList" type="hidden" value="test78, equal,
hot, not, ~"/>
// A parameter for the form indicating the required answers for various
fields in the form.

```

```

<input name="FormNameFieldList" type="hidden" value="name"/>
// A parameter for the form indicating which field(s) contain the name
of the submitter.
<input name="FormNextURL" type="hidden"
value="http://www.yourlibrary.org/landingpage.htm"/>
// A parameter for the form indicating the URL of the landing page that
will be displayed upon successfully submitting the form.
<input name="Msg1AddrList" type="hidden" value="John Smith, johnsmith,
yourlibrary.org, Jane Doe, janedoe, yourlibrary.org "/>
// A parameter for the form indicating the e-mail address(es) of the
individual(s) who will receive the completed form.
<input name="Msg1FieldNameExcludeList" type="hidden" value=
"confirm_email_address, test78"/>
// A parameter for the form indicating which fields are to be excluded
from the resulting e-mail message.
<input name="Msg1Subject" type="hidden" value="Rush Cataloging Request
Form Submission"/>
// A parameter for the form indicating the subject line of the
resulting e-mail message.
<input name="Msg1TextBottom" type="hidden" value="Please complete
cataloging within one business day (Monday noon if request comes on a
weekend). Thank you."/>
// A parameter for the form indicating the text that is to appear in
the resulting e-mail message below the form data.
<input name="Msg1TextTop" type="hidden" value="A rush cataloging
request has been submitted for the following item:"/>
// A parameter for the form indicating the text that is to appear in
the resulting e-mail message above the form data.
<input name="MsgEchoFieldNameExcludeList" type="hidden" value="record,
confirm_email_address, test78"/>
// A parameter for the form indicating which fields are to be excluded
from the confirmation e-mail sent to the submitter.
<input name="MsgEchoFromAddr" type="hidden" value="Jane Doe, janedoe,
yourlibrary.org"/>
// A parameter for the form indicating the "From" address for the
confirmation e-mail sent to the submitter.
<input name="MsgEchoSubject" type="hidden" value="Rush Cataloging
Request Form Confirmation"/>
// A parameter for the form indicating the subject line of the
confirmation e-mail sent to the submitter.
<input name="MsgEchoTextBottom" type="hidden" value="Thank you for
submitting your rush cataloging request. The Cataloging Department
will rush catalog the item you have requested and you will be notified
via e-mail when it is available. The item will be held at the
circulation desk under your name for 14 days. Do not reply to this e-
mail."/>
// A parameter for the form indicating the text that is to appear in
the confirmation e-mail message below the form data.
<input name="MsgEchoTextTop" type="hidden" value="You have submitted a
rush cataloging request for the following item:"/>
// A parameter for the form indicating the text that is to appear in
the confirmation e-mail message above the form data.
<table style="margin-left:5px; margin-right:5px;">
// A table to layout the form.
  <tr>
    <td colspan="3"><hr style="width:100%; height:2px;
color:#00437F; border-style:none;"/></td>

```

```

</tr>
<tr style="display:none;">
// The form field containing the record number of the item being
rush requested. Not displayed.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="BibIdScsu">BibID
</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="bibIdScsu" name="record" style="width:100%;
border:none; padding:0px;" readonly="readonly"/></div></td>
</tr>
<tr>
// The form field containing the author of the item being rush
requested. Not displayed.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label
for="authorScsu">Author</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="authorScsu" name="author" style="width:100%;
border:none; padding:0px;" readonly="readonly"/></div></td>
</tr>
<tr>
// The form field containing the title of the item being rush
requested.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label
for="booktitleScsu">Title</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="booktitleScsu" name="title" style="width:100%;
border:none; padding:0px;" readonly="readonly"/></div></td>
</tr>
<tr>
// The form field containing the imprint of the item being rush
requested.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label
for="publisherScsu">Publisher</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="publisherScsu" name="publisher"
style="width:100%; border:none; padding:0px;"
readonly="readonly"/></div></td>
</tr>
<tr style="display:none;">
// The form field containing the isbn of the item being rush
requested. Not displayed.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="isbnScsu">ISBN
</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="isbnScsu" name="isbn" style="width:100%;
border:none; padding:0px;" readonly="readonly"/></div></td>
</tr>

```

```

<tr>
// The form field into which the user inputs his or her name.
  <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="nameScsu">Your
Name</label></td>
  <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="nameScsu" name="name" style="width:100%;
padding:0px;" /></div></td>
</tr>
<tr>
// The form field into which the user inputs his or her
identification number.
  <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="idScsu">Your Hoot
Loot ID No.</label></td>
  <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="idScsu" name="id" style="width:100%;
padding:0px;" /></div></td>
</tr>
<tr>
// The form field into which the user inputs his or her e-mail
address.
  <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label
for="emailaddrScsu">Your E-mail Address</label></td>
  <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="emailaddrScsu" name="email_address"
style="width:100%; padding:0px;" /></div></td>
</tr>
<tr>
// The form field into which the user confirms his or her e-mail
address.
  <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label
for="confirmemailaddrScsu">Confirm Your E-mail
Address</label></td>
  <td colspan="2"><div style="margin-right:5px;"><input
type="text" id="confirmemailaddrScsu"
name="confirm_email_address" style="width:100%;
padding:0px;" /></div></td>
</tr>
<tr>
// The form field in which the user indicates his or her status.
  <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="statusScsu">Your
Status</label></td>
  <td style="font-size:10pt; width:120px;"><input type="radio"
value="fac/staff" checked="checked" id="facstaffScsu
name="status" /><label for="facstaffScsu">Faculty/Staff</label>
</td>

```

```

        <td style="font-size:10pt; width:120px;"><input type="radio"
        value="student" id="studentScsu" name="status"/><label
        for="studentScsu">Student</label></td>
    </tr>
    <tr>
    // A CAPTCHA field for weeding out spam.
        <td style="background-color:#d7e3ff; font-size:10pt; font-
        weight:bold; font-style:italic; width:240px; height:30px; text-
        align:right; padding-right:10px;"><label for="humanScsu">Are
        you human?</label></td>
        <td colspan="2"><span style="float:right;">Winter is cold;
        summer is: <input type="text" id="humanScsu" name="test78"
        style="display:inline" size="1"/></span></td>
    </tr>
    <tr>
        <td colspan="3"><hr style="width:100%; height:2px; background-
        color:#00437F; color:#00437F; border-style:none;" /></td>
    </tr>
    <tr>
    // The submit button for the form.
        <td colspan="2" style="color:red; font-size:10pt;">After you
        have clicked 'Submit' you can click your browser's back button
        to return to this record.</td>
        <td colspan="1" style="text-align:right;"><button type="submit"
        style="display:inline-block;">Submit</button></td>
    </tr>
    </table>
</form>
</div>

<div id="rushformwcsu" style="display:none; position:absolute; top:65px;
border:2px solid #00437F; color:#000000; background-color:#FFFFFF; width:500px;
left:50%; margin-left:-250px; padding-bottom:5px;">
// The container for the WCSU form. It is not displayed by default; it appears
when the user clicks on the link to display the form.
    <div style="font-weight:bold; color:#00437F; background-color:#d7e3ff;
height:20px; padding:5px;">
    // The title bar for the WCSU form.
        <span style="float:left;">Rush Cataloging Request Form (<span
        style="color:red;">WCSU ONLY</span></span></span>
    // The title of the WCSU form, indicating that this form is for use by
    library users affiliated with Western Connecticut State University and
    not any other CSU campus.
        <span style="float:right; height:20px;">
            <a href="javascript:showhide('about', 'inline')" title="About the
            Rush Cataloging Request Form" style="display:inline-block; font-
            size:8pt; line-height:12pt; text-decoration:none; color:#00437F;
            background-color:inherit; border:1px solid #00437F;
            padding:1px;">&nbsp;?&nbsp;&nbsp;</a>&nbsp;&nbsp;
            // An "About" button for toggling the display of information
            about the project, including its version number and a link to the
            project page of the PHP script that was used for the form.
            <a href="javascript:showhide('rushformwcsu', 'none')"
            title="Close" style="display:inline-block; font-size:8pt; line-
            height:12pt; text-decoration:none; color:#00437F; background-
            color:inherit; border:1px solid #00437F;
            padding:1px;">&nbsp;X&nbsp;&nbsp;</a>

```

```

        // A close button to hide the WCSU form if the user does not wish
        to submit the request.
    </span>
</div>
<div style="padding:5px; text-align:justify;">Fill out the form below to
expedite the processing of this item. The Acquisitions and Cataloging
Department will rush catalog it and you will be notified via e-mail when it
is available. The item will be held at the circulation desk under your name
for 7 business days.</div>
// The instructions for the WCSU form.
<form action="http://www.yourlibrary.org/huggins-email-form-script-
v2.2.3.php" method="post" id="formWcsu" style="display:inline;">
// The form.
<input name="FormEchoUser" type="hidden" value="yes"/>
// A parameter for the form instructing it to send a confirmation e-
mail to the submitter.
<input name="FormEmailFieldList" type="hidden" value="email_address,
confirm_email_address"/>
// A parameter for the form indicating which field(s) contain the
submitter's e-mail address.
<input name="FormFieldNameLabelPlusList" type="hidden" value=
"labelline, Item to be cataloged...,
record, Record, Y, 0, 0 |
author, Author, N, 0, 0 |
title, Title, N, 0, 0 |
publisher, Publisher, N, 0, 0 |
isbn, ISBN, N, 0, 0 |
blankline,
labelline, Person for whom the cataloging is to be done...,
name, Name, Y, 0, 0 |
id, WESTCONNect ID, Y, 8, 8 |
email_address, Email Address, Y, 0, 60 |
confirm_email_address, Confirm Email Address, Y, 0, 60 |
test78, Are you human?, Y, 0, 10 |
status, Status, Y, 0, 0 |
blankline,
labelline, Technical details about form submission...,
ip, IP Address, N, 0, 0 |
browser, Browser Information, N, 0, 0 |"/>
// A parameter for the form which specifies the names of all the fields
in the form, the label that should be used for each field in the
resulting e-mail message, whether the field is required, and its
minimum and maximum length.
<input name="FormFieldNameEditList" type="hidden" value="test78, equal,
hot, not, ~"/>
// A parameter for the form indicating the required answers for various
fields in the form.
<input name="FormNameFieldList" type="hidden" value="name"/>
// A parameter for the form indicating which field(s) contain the name
of the submitter.
<input name="FormNextURL" type="hidden"
value="http://www.yourlibrary.org/landingpage.htm"/>
// A parameter for the form indicating the URL of the landing page that
will be displayed upon successfully submitting the form.
<input name="Msg1AddrList" type="hidden" value="John Smith, johnsmith,
yourlibrary.org, Jane Doe, janedoe, yourlibrary.org "/>

```

```

// A parameter for the form indicating the e-mail address(es) of the
individual(s) who will receive the completed form.
<input name="Msg1FieldNameExcludeList" type="hidden" value=
"confirm_email_address, test78"/>
// A parameter for the form indicating which fields are to be excluded
from the resulting e-mail message.
<input name="Msg1Subject" type="hidden" value="Rush Cataloging Request
Form Submission"/>
// A parameter for the form indicating the subject line of the
resulting e-mail message.
<input name="Msg1TextBottom" type="hidden" value="Please complete
cataloging within one business day. Thank you."/>
// A parameter for the form indicating the text that is to appear in
the resulting e-mail message below the form data.
<input name="Msg1TextTop" type="hidden" value="A rush cataloging
request has been submitted for the following item:"/>
// A parameter for the form indicating the text that is to appear in
the resulting e-mail message above the form data.
<input name="MsgEchoFieldNameExcludeList" type="hidden" value="record,
confirm_email_address, test78"/>
// A parameter for the form indicating which fields are to be excluded
from the confirmation e-mail sent to the submitter.
<input name="MsgEchoFromAddr" type="hidden" value="Jane Doe, janedoe,
yourlibrary.org"/>
// A parameter for the form indicating the "From" address for the
confirmation e-mail sent to the submitter.
<input name="MsgEchoSubject" type="hidden" value="Rush Cataloging
Request Form Confirmation"/>
// A parameter for the form indicating the subject line of the
confirmation e-mail sent to the submitter.
<input name="MsgEchoTextBottom" type="hidden" value="Thank you for
submitting your rush cataloging request. The Acquisitions and
Cataloging Department will rush catalog the item you have requested and
you will be notified via e-mail when it is available. The item will be
held at the circulation desk under your name for 7 business days. Do
not reply to this e-mail."/>
// A parameter for the form indicating the text that is to appear in
the confirmation e-mail message below the form data.
<input name="MsgEchoTextTop" type="hidden" value="You have submitted a
rush cataloging request for the following item:"/>
// A parameter for the form indicating the text that is to appear in
the confirmation e-mail message above the form data.
<table style="margin-left:5px; margin-right:5px;">
// A table to layout the form.
  <tr>
    <td colspan="3"><hr style="width:100%; height:2px;
color:#00437F; border-style:none;"/></td>
  </tr>
  <tr style="display:none;">
    // The form field containing the record number of the item being
    rush requested. Not displayed.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="BibIdWcsu">BibID
</label></td>

```

```

        <td colspan="2"><div style="margin-right:5px;"><input
        type="text" id="bibIdWcsu" name="record" style="width:100%;
        border:none; padding:0px;" readonly="readonly"/></div></td>
</tr>
<tr>
// The form field containing the author of the item being rush
requested. Not displayed.
        <td style="background-color:#d7e3ff; font-size:10pt; font-
        weight:bold; font-style:italic; width:240px; height:30px; text-
        align:right; padding-right:10px;"><label
        for="authorWcsu">Author</label></td>
        <td colspan="2"><div style="margin-right:5px;"><input
        type="text" id="authorWcsu" name="author" style="width:100%;
        border:none; padding:0px;" readonly="readonly"/></div></td>
</tr>
<tr>
// The form field containing the title of the item being rush
requested.
        <td style="background-color:#d7e3ff; font-size:10pt; font-
        weight:bold; font-style:italic; width:240px; height:30px; text-
        align:right; padding-right:10px;"><label
        for="booktitleWcsu">Title</label></td>
        <td colspan="2"><div style="margin-right:5px;"><input
        type="text" id="booktitleWcsu" name="title" style="width:100%;
        border:none; padding:0px;" readonly="readonly"/></div></td>
</tr>
<tr>
// The form field containing the imprint of the item being rush
requested.
        <td style="background-color:#d7e3ff; font-size:10pt; font-
        weight:bold; font-style:italic; width:240px; height:30px; text-
        align:right; padding-right:10px;"><label
        for="publisherWcsu">Publisher</label></td>
        <td colspan="2"><div style="margin-right:5px;"><input
        type="text" id="publisherWcsu" name="publisher"
        style="width:100%; border:none; padding:0px;"
        readonly="readonly"/></div></td>
</tr>
<tr style="display:none;">
// The form field containing the isbn of the item being rush
requested. Not displayed.
        <td style="background-color:#d7e3ff; font-size:10pt; font-
        weight:bold; font-style:italic; width:240px; height:30px; text-
        align:right; padding-right:10px;"><label for="isbnWcsu">ISBN
        </label></td>
        <td colspan="2"><div style="margin-right:5px;"><input
        type="text" id="isbnWcsu" name="isbn" style="width:100%;
        border:none; padding:0px;" readonly="readonly"/></div></td>
</tr>
<tr>
// The form field into which the user inputs his or her name.
        <td style="background-color:#d7e3ff; font-size:10pt; font-
        weight:bold; font-style:italic; width:240px; height:30px; text-
        align:right; padding-right:10px;"><label for="nameWcsu">Your
        Name</label></td>

```



```

        <td colspan="2"><div style="margin-right:5px;"><input
        type="text" id="nameWcsu" name="name" style="width:100%;
        padding:0px;" /></div></td>
</tr>
<tr>
// The form field into which the user inputs his or her
identification number.
        <td style="background-color:#d7e3ff; font-size:10pt; font-
        weight:bold; font-style:italic; width:240px; height:30px; text-
        align:right; padding-right:10px;"><label for="idWcsu">Your
        WESTCONNect ID No.</label></td>
        <td colspan="2"><div style="margin-right:5px;"><input
        type="text" id="idWcsu" name="id" style="width:100%;
        padding:0px;" /></div></td>
</tr>
<tr>
// The form field into which the user inputs his or her e-mail
address.
        <td style="background-color:#d7e3ff; font-size:10pt; font-
        weight:bold; font-style:italic; width:240px; height:30px; text-
        align:right; padding-right:10px;"><label
        for="emailaddrWcsu">Your E-mail Address</label></td>
        <td colspan="2"><div style="margin-right:5px;"><input
        type="text" id="emailaddrWcsu" name="email_address"
        style="width:100%; padding:0px;" /></div></td>
</tr>
<tr>
// The form field into which the user confirms his or her e-mail
address.
        <td style="background-color:#d7e3ff; font-size:10pt; font-
        weight:bold; font-style:italic; width:240px; height:30px; text-
        align:right; padding-right:10px;"><label
        for="confirmemailaddrWcsu">Confirm Your E-mail
        Address</label></td>
        <td colspan="2"><div style="margin-right:5px;"><input
        type="text" id="confirmemailaddrWcsu"
        name="confirm_email_address" style="width:100%;
        padding:0px;" /></div></td>
</tr>
<tr>
// The form field in which the user indicates his or her status.
        <td style="background-color:#d7e3ff; font-size:10pt; font-
        weight:bold; font-style:italic; width:240px; height:30px; text-
        align:right; padding-right:10px;"><label for="statusWcsu">Your
        Status</label></td>
        <td style="font-size:10pt; width:120px;"><input type="radio"
        value="fac/staff" checked="checked" id="facstaffWcsu
        name="status" /><label for="facstaffWcsu">Faculty/Staff</label>
</td>
        <td style="font-size:10pt; width:120px;"><input type="radio"
        value="student" id="studentWcsu" name="status" /><label
        for="studentWcsu">Student</label></td>
</tr>
<tr>
// A CAPTCHA field for weeding out spam.

```

```

        <td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="humanWcsu">Are
you human?</label></td>
        <td colspan="2"><span style="float:right;">Winter is cold;
summer is: <input type="text" id="humanWcsu" name="test78"
style="display:inline" size="1"/></span></td>
    </tr>
    <tr>
        <td colspan="3"><hr style="width:100%; height:2px; background-
color:#00437F; color:#00437F; border-style:none;" /></td>
    </tr>
    <tr>
        // The submit button for the form.
        <td colspan="2" style="color:red; font-size:10pt;">After you
have clicked 'Submit' you can click your browser's back button
to return to this record.</td>
        <td colspan="1" style="text-align:right;"><button type="submit"
style="display:inline-block;">Submit</button></td>
    </tr>
</table>
</form>
</div>

```

Documentation for Standalone Libraries

1. In the Web Options tab of the Administration module, modify “Record Displays > TABLEPARAM_BIB_ORDER” to include the following:

```
id="bibOrder"  
// Assigns a unique ID to the table that contains the order notes for the  
record so that the information contained therein can be leveraged.
```

2. Place the “huggins-email-form-script-v2.2.3.php” file (available at <http://www.jamesshuggins.com/h/hefs/huggins-email-form-script.htm>) in a location on your library’s webserver. Do not place the file on the Millennium server as it does not support PHP.

3. In the Web Master tab of the Administration module, modify the toplogo.html file to include the following (Note that many of the names and ID’s of functions, variables, elements, etc. as well as certain text strings throughout the script are localized to the Connecticut State University System implementation. These can be modified for your local implementation.):

```
<script type="text/javascript">  
function start() {  
// Function for calling those functions that must be called at the time of the page  
load.  
    rush();  
    fillIn();  
}  
window.onload=start;  
  
function rush() {  
// Function to append a link to in-processing notes, which--when clicked--calls  
the function to display the form.  
    try {  
        for (var i = 0; i < document.getElementById('bibOrder').rows.length;  
            i++) {  
            // For every row of order notes notes...  
            var rush =  
                document.getElementById('bibOrder').rows[i].cells[0];  
            // ...declare a variable called "rush" to hold the cells in  
            that row.  
            if (rush.innerHTML.search('processed') == -1) {  
                // If the HTML contained in any instance of "rush" does *NOT*  
                contain the text string "processed" then do nothing.  
            }  
            else {  
                // If, however, the HTML contained in any instance of "rush"  
                *DOES* contain that text string, then...  
                rush.innerHTML += ' <a  
                href="javascript:showhide(\'rushform\', \'inline\');">  
                Click Here to Expedite Processing</a>';  
                // ...append to that instance of "rush" a link that will  
                call the showhide() function (see below) and which will  
                have the display text "Click Here to Expedite Processing".  
            }  
        }  
    }  
    catch(err) {
```

```
    }  
}
```

```
function showhide(divid, state){  
// Function to show or hide the form.  
    document.getElementById(divid).style.display=state  
}
```

```
function fillIn() {  
// Function to cull the bibliographic information from the record for inclusion  
in the form fields.  
    var author = "";  
    var title = "";  
    var publisher = "";  
    var isbn = "";  
    // Declare empty eponymous variables to hold the author, title, imprint,  
    and ISBN of the record.  
    var bibId =  
document.getElementById('recordnum').innerHTML.replace("http://www.yourlibr  
ary.org:80/record=", "").replace("~S16", "") + 'a';  
    // Declare an eponymous variable to hold the bibID of the record, taken  
    from the record's persistent link.  
    try {  
        var tr = document.getElementsByTagName('TR');  
        for(i = 0; i < tr.length; i++) {  
            // For every row in the record...  
            var x=tr[i].getElementsByTagName('TD');  
            // ...declare a variable called "x" to hold the cells in that row.  
            if (x.length == 2 && x[0].innerHTML == "Author") {  
                // If the row has 2 cells and the first cell contains the text  
                string "Author"...  
                author = x[1].innerHTML.replace(/(<([>]+>)/ig, "");  
                // ...then strip of any markup from the text string contained  
                in the second cell of that row and assign it to the "author"  
                variable.  
            }  
            if (x.length == 2 && x[0].innerHTML == "Title") {  
                // If the row has 2 cells and the first cell contains the text  
                string "Title"...  
                title = x[1].innerHTML.replace(/(<([>]+>)/ig, "");  
                // ...then strip of any markup from the text string contained  
                in the second cell of that row and assign it to the "title"  
                variable.  
            }  
            if (x.length == 2 && x[0].innerHTML == "Publisher") {  
                // If the row has 2 cells and the first cell contains the text  
                string "Publisher"...  
                publisher = x[1].innerHTML.replace(/(<([>]+>)/ig, "");  
                // ...then strip of any markup from the text string contained  
                in the second cell of that row and assign it to the "publisher"  
                variable.  
            }  
            if(x.length == 2 && x[0].innerHTML == "ISBN") {  
                // If the row has 2 cells and the first cell contains the text  
                string "ISBN"...  
                isbn = x[1].innerHTML.replace(/(<([>]+>)/ig, "");  
            }  
        }  
    }  
}
```



```

<div style="font-weight:bold; color:#00437F; background-color:#d7e3ff;
height:20px; padding:5px;">
// The title bar for the form.
  <span style="float:left;">Rush Cataloging Request Form</span>
  // The title of the form
  <span style="float:right; height:20px;">
    <a href="javascript:showhide('about', 'inline')" title="About the
Rush Cataloging Request Form" style="display:inline-block; font-
size:8pt; line-height:12pt; text-decoration:none; color:#00437F;
background-color:inherit; border:1px solid #00437F;
padding:1px;">&nbsp;&nbsp;&nbsp;?&nbsp;&nbsp;&nbsp;</a>&nbsp;&nbsp;&nbsp;
    // An "About" button for toggling the display of information
    about the project, including its version number and a link to the
    project page of the PHP script that was used for the form.
    <a href="javascript:showhide('rushform', 'none')" title="Close"
style="display:inline-block; font-size:8pt; line-height:12pt;
text-decoration:none; color:#00437F; background-color:inherit;
border:1px solid #00437F; padding:1px;">&nbsp;&nbsp;&nbsp;X&nbsp;&nbsp;&nbsp;</a>
    // A close button to hide the form if the user does not wish to
    submit the request.
  </span>
</div>
<div style="padding:5px; text-align:justify;">Fill out the form below to
expedite the processing of this item. Cataloging and Metadata Services will
rush catalog it and you will be notified via e-mail when it is available.
The item will be held at the circulation desk under your name for 10
days.</div>
// The instructions for the form.
<form action="http://www.yourlibrary.org/huggins-email-form-script-
v2.2.3.php" method="post" id="formCcsu" style="display:inline;">
// The form.
  <input name="FormEchoUser" type="hidden" value="yes"/>
  // A parameter for the form instructing it to send a confirmation e-
  mail to the submitter.
  <input name="FormEmailFieldList" type="hidden" value="email_address,
confirm_email_address"/>
  // A parameter for the form indicating which field(s) contain the
  submitter's e-mail address.
  <input name="FormFieldNameLabelPlusList" type="hidden" value=
    "labelline, Item to be cataloged...,
    record, Record, Y, 0, 0 |
    author, Author, N, 0, 0 |
    title, Title, N, 0, 0 |
    publisher, Publisher, N, 0, 0 |
    isbn, ISBN, N, 0, 0 |
    blankline,
    labelline, Person for whom the cataloging is to be done...,
    name, Name, Y, 0, 0 |
    id, Library ID, Y, 8, 8 |
    email_address, Email Address, Y, 0, 60 |
    confirm_email_address, Confirm Email Address, Y, 0, 60 |
    test78, Are you human?, Y, 0, 10 |
    status, Status, Y, 0, 0 |
    blankline,
    labelline, Technical details about form submission...,
    ip, IP Address, N, 0, 0 |
    browser, Browser Information, N, 0, 0 |"/>

```

```

// A parameter for the form which specifies the names of all the fields
in the form, the label that should be used for each field in the
resulting e-mail message, whether the field is required, and its
minimum and maximum length.
<input name="FormFieldNameEditList" type="hidden" value="test78, equal,
hot, not, ~"/>
// A parameter for the form indicating the required answers for various
fields in the form.
<input name="FormNameFieldList" type="hidden" value="name"/>
// A parameter for the form indicating which field(s) contain the name
of the submitter.
<input name="FormNextURL" type="hidden"
value="http://www.yourlibrary.org/landingpage.htm"/>
// A parameter for the form indicating the URL of the landing page that
will be displayed upon successfully submitting the form.
<input name="Msg1AddrList" type="hidden" value="John Smith, johnsmith,
yourlibrary.org, Jane Doe, janedoe, yourlibrary.org "/>
// A parameter for the form indicating the e-mail address(es) of the
individual(s) who will receive the completed form.
<input name="Msg1FieldNameExcludeList" type="hidden" value=
"confirm_email_address, test78"/>
// A parameter for the form indicating which fields are to be excluded
from the resulting e-mail message.
<input name="Msg1Subject" type="hidden" value="Rush Cataloging Request
Form Submission"/>
// A parameter for the form indicating the subject line of the
resulting e-mail message.
<input name="Msg1TextBottom" type="hidden" value="Please complete
cataloging within one business day. Thank you."/>
// A parameter for the form indicating the text that is to appear in
the resulting e-mail message below the form data.
<input name="Msg1TextTop" type="hidden" value="A rush cataloging
request has been submitted for the following item:"/>
// A parameter for the form indicating the text that is to appear in
the resulting e-mail message above the form data.
<input name="MsgEchoFieldNameExcludeList" type="hidden" value="record,
confirm_email_address, test78"/>
// A parameter for the form indicating which fields are to be excluded
from the confirmation e-mail sent to the submitter.
<input name="MsgEchoFromAddr" type="hidden" value="Jane Doe, janedoe,
yourlibrary.org"/>
// A parameter for the form indicating the "From" address for the
confirmation e-mail sent to the submitter.
<input name="MsgEchoSubject" type="hidden" value="Rush Cataloging
Request Form Confirmation"/>
// A parameter for the form indicating the subject line of the
confirmation e-mail sent to the submitter.
<input name="MsgEchoTextBottom" type="hidden" value="Thank you for
submitting your rush cataloging request. Cataloging and Metadata
Services will rush catalog the item you have requested and you will be
notified via e-mail when it is available. The item will be held at the
circulation desk under your name for 10 days. Do not reply to this e-
mail."/>
// A parameter for the form indicating the text that is to appear in
the confirmation e-mail message below the form data.
<input name="MsgEchoTextTop" type="hidden" value="You have submitted a
rush cataloging request for the following item:"/>

```

```

// A parameter for the form indicating the text that is to appear in
the confirmation e-mail message above the form data.
<table style="margin-left:5px; margin-right:5px;">
// A table to layout the form.
  <tr>
    <td colspan="3"><hr style="width:100%; height:2px;
      color:#00437F; border-style:none;"/></td>
  </tr>
  <tr style="display:none;">
    // The form field containing the record number of the item being
    rush requested.  Not displayed.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
      weight:bold; font-style:italic; width:240px; height:30px; text-
      align:right; padding-right:10px;"><label for="bibId">BibID
    </label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
      type="text" id="bibId" name="record" style="width:100%;
      border:none; padding:0px;" readonly="readonly"/></div></td>
  </tr>
  <tr>
    // The form field containing the author of the item being rush
    requested.  Not displayed.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
      weight:bold; font-style:italic; width:240px; height:30px; text-
      align:right; padding-right:10px;"><label
      for="author">Author</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
      type="text" id="author" name="author" style="width:100%;
      border:none; padding:0px; " readonly="readonly"/></div></td>
  </tr>
  <tr>
    // The form field containing the title of the item being rush
    requested.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
      weight:bold; font-style:italic; width:240px; height:30px; text-
      align:right; padding-right:10px;"><label
      for="booktitle">Title</label></td>
    <td colspan="2"><div style="margin-right:5px;"><input
      type="text" id="booktitle" name="title" style="width:100%;
      border:none; padding:0px;" readonly="readonly"/></div></td>
  </tr>
  <tr>
    // The form field containing the imprint of the item being rush
    requested.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
      weight:bold; font-style:italic; width:240px; height:30px; text-
      align:right; padding-right:10px;"><label
      for="publisher">Publisher</label></td>
    <td colspan="2"><div style="margin-right:5px; "><input
      type="text" id="publisher" name="publisher" style="width:100%;
      border:none; padding:0px;" readonly="readonly"/></div></td>
  </tr>
  <tr style="display:none;">
    // The form field containing the isbn of the item being rush
    requested.  Not displayed.
    <td style="background-color:#d7e3ff; font-size:10pt; font-
      weight:bold; font-style:italic; width:240px; height:30px; text-

```



```

align:right; padding-right:10px;"><label for="isbn">ISBN
</label></td>
<td colspan="2"><div style="margin-right:5px;"><input
type="text" id="isbn" name="isbn" style="width:100%;
border:none; padding:0px; readonly="readonly"/></div></td>
</tr>
<tr>
// The form field into which the user inputs his or her name.
<td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="name">Your
Name</label></td>
<td colspan="2"><div style="margin-right:5px;"><input
type="text" id="name" name="name" style="width:100%;
padding:0px;"/></div></td>
</tr>
<tr>
// The form field into which the user inputs his or her
identification number.
<td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="id">Your Library
ID No.</label></td>
<td colspan="2"><div style="margin-right:5px;"><input
type="text" id="id" name="id" style="width:100%;
padding:0px;"/></div></td>
</tr>
<tr>
// The form field into which the user inputs his or her e-mail
address.
<td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="emailaddr">Your
E-mail Address</label></td>
<td colspan="2"><div style="margin-right:5px;"><input
type="text" id="emailaddr" name="email_address"
style="width:100%; padding:0px;"/></div></td>
</tr>
<tr>
// The form field into which the user confirms his or her e-mail
address.
<td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label
for="confirmemailaddr">Confirm Your E-mail Address</label></td>
<td colspan="2"><div style="margin-right:5px;"><input
type="text" id="confirmemailaddr" name="confirm_email_address"
style="width:100%; padding:0px;"/></div></td>
</tr>
<tr>
// The form field in which the user indicates his or her status.
<td style="background-color:#d7e3ff; font-size:10pt; font-
weight:bold; font-style:italic; width:240px; height:30px; text-
align:right; padding-right:10px;"><label for="status">Your
Status</label></td>

```

```

        <td style="font-size:10pt; width:120px;"><input type="radio"
        value="fac/staff" checked="checked" id="facstaff
        name="status"/><label for="facstaff">Faculty/Staff</label>
        </td>
        <td style="font-size:10pt; width:120px;"><input type="radio"
        value="student" id="student" name="status"/><label
        for="student">Student</label></td>
    </tr>
    <tr>
    // A CAPTCHA field for weeding out spam.
        <td style="background-color:#d7e3ff; font-size:10pt; font-
        weight:bold; font-style:italic; width:240px; height:30px; text-
        align:right; padding-right:10px;"><label for="human">Are you
        human?</label></td>
        <td colspan="2"><span style="float:right;">Winter is cold;
        summer is: <input type="text" id="human" name="test78"
        style="display:inline" size="1"/></span></td>
    </tr>
    <tr>
        <td colspan="3"><hr style="width:100%; height:2px; background-
        color:#00437F; color:#00437F; border-style:none;"></td>
    </tr>
    <tr>
    // The submit button for the form.
        <td colspan="2" style="color:red; font-size:10pt;">After you
        have clicked 'Submit' you can click your browser's back button
        to return to this record.</td>
        <td colspan="1" style="text-align:right;"><button type="submit"
        style="display:inline-block;">Submit</button></td>
    </tr>
    </table>
</form>
</div>

```